

ZOON tattoo machine

Congratulations on your purchase of MT Mustang Tattoo equipment!

ZOON is a fast, lightweight, reliable rotary machine, compatible with a wide range of cartridges.

Ability to work with disposable holders Cheyenne D-GRIPS.

Constantly improving the experience of developers and dialogue with the masters allows to achieve the perfect balance of accuracy, ergonomics and high quality. The machine is completely ready for work! For proper operation with the machine, carefully read the instructions!

The package includes a tattoo machine, warranty card, instructions, storing cover.

Using: the universal Zoon tattoo machine is intended for drawing a contour, a shade, shadows.



Performance data

- Engine power 6 watts
- Type of power connector RCA
- Optimum supply voltage 6-9 V
- Maximum operating voltage 10V
- Maximum needle stroke 3.5 mm
- Weight 135 g

Stable power is responsible for the safety and quality of the result. We recommend using wires with a cross section of at least 0.75 mm, power supplies with an output current of at least 3A.

Important security measures

- The machine is intended for professional use only by tattoo artists. The manufacturer is not responsible for the improper operation of the equipment and its parts, also for non-compliance with sterilization and disinfection standards
- ✓ Use disposable cartridges. Before and after use, wipe the machine with a disinfectant
- \checkmark Be sure to use barrier protection for the machine, power supply and cord clip.
- \checkmark Always use disposable gloves during the session.

Preparing to use

Departure of the needle is regulated by rotation of the holder: counterclockwise - increase the departure of the needle, clockwise - decrease the departure of the needle.

Care and maintenance

- ✓ The holder must be disinfected with disposable gloves. Before changing the cartridge, disconnect the machine from the power supply.
- \checkmark The cartridge holder allows autoclaving.
- It is recommended to carry out troubleshooting and replacement work at a service center. More information about service and maintenance can be found on the website http://mustang-tattoo.ru/. As part of the warranty, repairs are provided free of charge.
- ✓ Do not sterilize machines in an autoclave or a dry oven!

Warranty

The warranty for the case (corpus) is 5 years, for the working parts of the machine (engine, internal mechanism, pusher, spring-stop) - 1 year.

Attention! The official warranty starts after registration on the website http://mustang-tattoo.ru/guarantee. You must register within 30 days of purchase.

This warranty covers factory faults, but does not cover to the wear and tear of equipment and its parts as a result of proper or improper use.

Warranty cases

- ✓ RCA plug doesn't properly work;
- ✓ failure of a screw or thread in the fasteners of housings, motors and internal mechanisms of rotary machines;

Warranty exclusions:

- ✓ problems after aggressive non-alcohol antiseptic agents;
- ✓ machines with signs of falling, hitting the case and its components;
- ✓ machines with rust or processing;
- ✓ machine with signs of self-adjustment, modernization;
- \checkmark if foreign things, liquids or dirt get inside the mechanism

And also the warranty is terminated in case of:

- ✓ misuse of equipment;
- ✓ exceeding the maximum operating voltage;
- ✓ sterilization in an autoclave or dry oven.

TECHICAL DATA

Weight Rack material Разъём Duties Warranty Size

Needle stroke Voltage 135 g Aviation aluminium RCA universal 12 months length 124 mm, corpus diameter 26,6 mm, handle diameter – 32 mm 3,5 mm max 6-9 V